

Uni-Pak® 1200mm X 1600mm



Outside Dimensions

O.D. = 1200mm X 1600mm X Height (available range = 457mm – 2134mm)

Outside dimension is measured from the floor to the top of the locating boss on the Top

Inside Usable Dimensions

Use the following formulas to build your own Uni-Pak and calculate I.U.D

Width and Length

$$1200\text{mm} - 70\text{mm} = 1130\text{mm}$$

and

$$1600\text{mm} - 70\text{mm} = 1530\text{mm}$$

Container Height

Using a 1200mm O.D. as an example

$$1200\text{mm} - 216\text{mm} = 984\text{mm}$$

$$\text{I.U.D} = 1130\text{mm} \times 1530\text{mm} \times 984\text{mm}$$

$$\text{Cubic Capacity} = 1.701 \text{ m}^3$$

DIMENSIONS ARE FOR REFERENCE ONLY

Uni-Pak® 1200mm X 1600mm

Dimensions for Nesting and Stacking Calculation


First Pallet on Floor: 159mm

Nested Pallet in Pallet: 51mm

First Top Nested in Pallet: 51mm

Nested Top in Top: 51mm


Sleeve (accordion folded in length dimension): 57mm



DIMENSIONS ARE FOR REFERENCE ONLY

Uni-Pak® 1200mm X 1600mm

Dimensions for Pallets and Tops



DIMENSIONS ARE FOR REFERENCE ONLY